EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S82	131	(CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (compartment region divid$3 split$3 section partion array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:51
S83	2	(CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (several plurality many various) with (compartment region divid$3 split$3 section partion array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:39
S84	0	(CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (several plurality many various) near2 (compartment region section partion array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:40
S85	36	(CMOS near (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:41
S86	31	(CMOS adj (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:41
S87	0	(CMOS adj (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array) and (compartment region section partion array) near2 (mask$3 CRC checksum encrypt$3 secur$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:42

S88	0	(CMOS adj (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array) and (compartment region section partion array) near2 (mask$3 CRC checksum encrypt$3 secur$3 authenticat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:42
S89	0	(CMOS adj (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array) and (compartment region section partion array) with (secr$3 protect$3 athenticat$3) with (mask$3 CRC checksum encrypt$3 hash$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:43
S90	1	(CMOS adj (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array) and (secur$3 protect$3 athenticat$3) with (mask$3 CRC checksum encrypt$3 hash$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:45
S91	4	(CMOS adj (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array) and (validat$3 authenticat$3) near3 CMOS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:48
S92	4	(CMOS adj (data setting RAM configurat$3 memory)) with (several plurality many various divid$3 split$4 section$3) near5 (compartment region section partion array) and (validat$3 authenticat$3 check$3) near3 CMOS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:48
S93	0	(CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (compartment region divid$3 split$3 section partion array) and 713/189. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:56

S94	0	(CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (compartment region divid$3 split$3 section partion array) and 713/190. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:51
S95	0	(CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (compartment region divid$3 split$3 section partion array) and 713/193. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:51
S96	0	(CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (compartment region divid$3 split$3 section partion array) and 713/194. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:52
S97	1	(CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) and (CMOS near (data setting RAM configurat$3 memory)) with (compartment region divid$3 split$3 section partion array) and 713/2. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:52
S98	9	(CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) with (verif$4 authenticat$3 check$3 validat$3 secur$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:53
S99	5	(CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and (region section partition array compartment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:55

S10 0	63	(CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:05
S10 1	4	(CMOS near (data setting RAM configurat$3 memory)) and (CMOS near (data setting RAM configurat$3 memory)) with (compartment region divid$3 split$3 section partion array) and 713/189. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:57
S10 2	46	(CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment) and @ay<="2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:58
S10 3	18	(CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (divid$3 split$3 section$3 partition$3) with (region section partition array compartment) and @ay<="2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 13:58
S10 4	7	(CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment) and (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:01
S10 5	2	(CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment) and intel.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:04

S10 6	0	(CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment) and ((NGUYEN near TOM).in. (BULUSU near MALLIK).in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:05
S10 7	67	((NGUYEN near TOM).in. (BULUSU near MALLIK).in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:05
S10 8	0	((NGUYEN near TOM).in. (BULUSU near MALLIK).in.) and (CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:05
S10 9	18	(CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment) and "713"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:08
S11 0	0	(CMOS near (data setting RAM configurat$3 memory)) with (verif$4 authenticat$3 check$3 validat$3 secur$3) and CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and "713"/$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:09
S11 1	24	CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:25

S11 2	0	CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:11
S11 3	0	CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (CMOS near (data setting RAM configurat$3 memory)) with (backup mirror$3 imag$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:44
S11 4	3	(CMOS and (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:46
S11 5	9	(CMOS and (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) and 713/2.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:46
S11 6	0	(CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) and 713/2.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:46
S11 7	0	(CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) and 713/193.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:47
S11 8	0	(CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) and 713/194.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:47

EAST Search History

S11 9	0	(CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) and 713/189.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:47
S12 0	0	(CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3)) and 713/190.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:47
S12 1	17	(CMOS with (region section partition array compartment) with (validat$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 14:57
S12 2	48	(CMOS with (region section partition array compartment) with (validat$3 secur$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 10:06
S12 3	4	(CMOS with (region section partition array compartment) with (validat$3 secur$3 validity authenticat$3 authenticity verification varify$3) and (replac$3 substitut$3) with (backup mirror$3 imag$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:14
S12 4	5	(CMOS with (divid$3 section$3 split$4) with (validat$3 secur$3 validity authenticat$3 authenticity verification varify$3) and (backup mirror$3 imag$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 10:08
S12 5	1	(plurality many various multiple) near3 (stor$3) near3 (region compartment section partitions arrays) with (CMOS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 10:10

EAST Search History

S12 6	353	(plurality many various multiple) near3 (region compartment section partitions arrays) with (CMOS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 10:11
S12 7	1	(plurality many various multiple) near3 (region compartment section partition arrays) with (CMOS near (data setting RAM configurat$3 memory)) and (backup mirror$3 imag$3) with (CMOS near (data setting RAM configurat$3 memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 10:13
S12 8	2	(plurality many various multiple) with (region compartment section partition arrays) with (CMOS near (data setting RAM configurat$3 memory)) and (backup mirror$3 imag$3) with (CMOS near (data setting RAM configurat$3 memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 10:13